


Scenario # 377: A CLEC orders INP for 2 lines.

Scenario Description:

A CLEC orders INP for 2 lines in support of an existing resale customer being migrated to CLEC facilities.

Network Configuration:



Scenario Summary:

REQTYPE	C
ACT TYPE	V
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 382: An existing CLEC customer is moving to another state. The CLEC orders BST to disconnect INP for all 6 of its customer's lines.

Scenario Description:

An existing CLEC customer is moving to another state. The CLEC orders BST to disconnect INP for all 6 of its customer's lines.

Network Configuration:



Scenario Summary:

REQTYPE	C
ACT TYPE	D
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 383: A CLEC orders LNP for 2 partially migrated lines from BST.

Scenario Description:

A CLEC ports 2 of its existing 6 numbers to CLEC via LNP.

Network Configuration:



Scenario Summary:

REQTYPE	C
ACT TYPE	V
Partial Migration	X
Flow-Through	

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 384: A CLEC orders LNP for 2 fully migrated lines from BST.

Scenario Description:

A CLEC orders LNP for both of its fully migrated lines from BST.

Network Configuration:



Scenario Summary:

REQTYPE	C
ACT TYPE	V
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 385: A CLEC orders LNP for 26 partially migrated lines from BST.

Scenario Description:

A CLEC ports 26 of its existing 31 Numbers to CLEC via LNP.

Network Configuration:



Scenario Summary:

REQTYPE	C
ACT TYPE	V
Partial Migration	X
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 386: A CLEC orders LNP for 26 fully migrated lines from BST.

Scenario Description:

A CLEC orders LNP for all 26 fully migrated lines from BST.

Network Configuration:



Scenario Summary:

REQTYPE	C
ACT TYPE	V
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 387: A CLEC orders LNP for 2 lines of an existing resale customer.

Scenario Description:

A CLEC orders LNP for 2 lines in support of an existing resale customer being migrated to CLEC facilities.

Network Configuration:



Scenario Summary:

REQTYPE	C
ACT TYPE	V
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 388: A CLEC orders LNP for 26 lines of an existing resale customer.

Scenario Description:

A CLEC orders LNP for 26 lines in support of an existing resale customer being migrated to CLEC facilities.

Network Configuration:



Scenario Summary:

REQTYPE	C
ACT TYPE	V
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:

Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 801: A CLEC orders LNP for 2 retail business lines. Directory listings remain the same.

Scenario Description:

A CLEC orders LNP for 2 retail business lines. Directory listings remain the same.

Network Configuration:

Scenario Summary:

REQTYPE	C
ACT TYPE	W
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 393: A CLEC orders a change from INP to LNP for 2 lines.

Scenario Description:

A CLEC orders a change from INP to LNP for 2 lines.

Network Configuration:



Scenario Summary:

REQTYPE	C
ACT TYPE	C
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 395: A CLEC orders 2 new business unbundled analog ports from BST.

Scenario Description:

A CLEC orders 2 new business unbundled analog ports from BST in support of a new business customer's service request.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	A
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 396: A CLEC orders 26 new business unbundled analog ports from BST.

Scenario Description:

A CLEC orders 26 new business unbundled analog ports from BST in support of a new business customer's service request.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	A
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 397: A CLEC orders 2 new residential unbundled analog ports from BST.

Scenario Description:

A CLEC orders 2 new residential unbundled analog ports from BST in support of a new business customer's service request.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	A
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 398: A CLEC orders 2 business unbundled analog ports for a partial migration service request from an existing BST business customer.

Scenario Description:

A CLEC orders 2 business unbundled analog ports in support of a partial migration service request from an existing BST business customer. The business customer currently has 6 lines, 4 of which stay with BST and 2 are migrated "as-specified" to the CLEC.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	V
Partial Migration	X
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 399: A CLEC orders 2 business unbundled analog ports for a full migration service request from an existing BST business customer.

Scenario Description:

A CLEC orders 2 business unbundled analog ports in support of a full migration service request from an existing BST business customer. The business customer lines are migrated "as-specified" to the CLEC.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	V
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 400: A CLEC orders 26 business unbundled analog ports for a partial migration service request from an existing BST business customer.

Scenario Description:

A CLEC orders 26 business unbundled analog ports in support of a partial migration service request from an existing BST business customer. The business customer currently has 31 lines, 5 of which stay with BST and 26 are migrated "as-specified" to the CLEC.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	V
Partial Migration	X
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 401: A CLEC orders 26 business unbundled analog ports for a full migration service request from an existing BST business customer.

Scenario Description:

A CLEC orders 26 business unbundled analog ports in support of a full migration service request from an existing BST business customer. The business customer lines are migrated "as-specified" to the CLEC.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	V
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 402: A CLEC orders 2 residential unbundled analog ports for a partial migration service request from an existing BST business customer.

Scenario Description:

A CLEC orders 2 residential unbundled analog ports in support of a partial migration service request from an existing BST residential customer. The residential customer currently has 3 lines, 1 of which stay with BST and 2 are migrated "as-specified" to the CLEC.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	V
Partial Migration	X
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 403: A CLEC orders 2 residential unbundled analog ports for a full migration service request from an existing BST business customer.

Scenario Description:

A CLEC orders 2 residential unbundled analog ports in support of a full migration service request from an existing BST residential customer. The residential customer lines are migrated "as-specified" to the CLEC.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	V
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 404: A CLEC orders 2 business unbundled analog ports from BST for a resale business customer.

Scenario Description:

A CLEC orders 2 business unbundled analog ports from BST for one of its resale business customers.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	V
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 405: A CLEC orders 26 business unbundled analog ports from BST for a resale business customer.

Scenario Description:

A CLEC orders 26 business unbundled analog ports from BST for one of its resale business customers.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	V
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 406: A CLEC orders 3 residential unbundled analog ports from BST for a resale residential customer.

Scenario Description:

A CLEC orders 3 residential unbundled analog ports from BST for one of its resale residential customers.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	V
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 407: A CLEC orders a change (e.g., add call waiting) on 2 business unbundled analog ports in response to a CLEC customer complaint.

Scenario Description:

A CLEC orders a change -(e.g., add call waiting) - on 2 business unbundled analog ports in response to a CLEC customer complaint.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	C
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	

Scenario # 408: A CLEC orders a change on 26 business unbundled analog ports in response to a CLEC customer complaint.

Scenario Description:

A CLEC orders a change on 26 business unbundled analog ports in response to a CLEC customer complaint.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	C
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 409: A CLEC orders a change - add call waiting - on 2 business unbundled analog ports in response to a CLEC customer.

Scenario Description:

A CLEC orders a change - add call waiting - on 2 residential unbundled analog ports in response to a CLEC customer complaint.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	C
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 412: A CLEC orders a suspend on 2 business unbundled analog ports.

Scenario Description:

A CLEC orders a suspend on 2 business unbundled analog ports.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	SS
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 414: A CLEC orders a suspend on 2 residential unbundled analog ports.

Scenario Description:

A CLEC orders a suspend on 2 residential unbundled analog ports.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	SS
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 415: A CLEC orders a restore on 2 business unbundled analog ports.

Scenario Description:

A CLEC orders a restore on 2 business unbundled analog ports.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	RS
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	X
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 417: A CLEC orders a restore on 2 residential unbundled analog ports.

Scenario Description:

A CLEC orders a restore on 2 residential unbundled analog ports.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	RS
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	

Scenario # 418: An existing CLEC business customer is going out of business and disconnects both unbundled analog ports.

Scenario Description:

An existing CLEC business customer is going out of business. The CLEC orders BST to disconnect both of its customer's unbundled analog ports.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	D
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 419: An existing CLEC residential customer is moving and disconnects both unbundled analog ports.

Scenario Description:

An existing CLEC residential customer is moving to another state. The CLEC orders BST to disconnect both of its customer's unbundled analog ports from BST.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	D
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 420: A CLEC orders 2 new business unbundled analog loop-port combinations from BST.

Scenario Description:

A CLEC orders 2 new business unbundled analog loop-port combinations from BST in support of a new business customer's service request.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	A
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 422: A CLEC orders 2 new residential unbundled analog loop-port combinations from BST.

Scenario Description:

A CLEC orders 2 new residential unbundled analog loop-port combinations from BST in support of a new residential customer's service request.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	A
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 423: A CLEC orders 2 business unbundled analog loop-port combinations from BST.

Scenario Description:

A CLEC orders 2 business unbundled analog loop-port combinations from BST in support of a full migration service request from an existing BST business customer. The business customer lines are migrated "as-specified" to the CLEC.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 424: A CLEC orders 26 business unbundled analog loop-port combinations in support of a full migration service request from an existing BST business customer.

Scenario Description:

A CLEC orders 26 business unbundled analog loop-port combinations in support of a full migration service request from an existing BST business customer. The business customer lines are migrated "as-specified" to the CLEC.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 425: A CLEC orders 2 residential unbundled analog loop-port combinations in support of a full migration service request from an existing BST residential customer.

Scenario Description:

A CLEC orders 2 residential unbundled analog loop-port combinations in support of a full migration service request from an existing BST residence customer. The received customer lines are migrated "as-specified" to the CLEC.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 427: A CLEC orders 26 business unbundled analog loop-port combinations from BST for one of its resale business customers.

Scenario Description:

A CLEC orders 26 business unbundled analog loop-port combinations from BST for one of its resale business customers.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 428: A CLEC orders 2 residential unbundled analog loop-port combinations from BST for one of its resale residential customers.

Scenario Description:

A CLEC orders 2 residential unbundled analog loop-port combinations from BST for one of its resale residential customers.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 429: A CLEC orders a change on 2 business unbundled analog loop-port combinations in response to a CLEC customer complaint.

Scenario Description:

A CLEC orders a change on 2 business unbundled analog loop-port combinations in response to a CLEC customer complaint.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	C
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	

Scenario # 432: An existing CLEC business customer moves from the 3rd to the 5th floor of an office complex. The CLEC orders an outside move on both of its customer's unbundled analog loop-port combinations from BST.

Scenario Description:

An existing CLEC business customer moves from the 3rd to the 5th floor of an office complex. The CLEC orders an inside move on both of its customer's unbundled analog loop-port combinations from BST.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	M
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 433: An existing CLEC residential customer moves from the 2nd to the 3rd floor in an apartment building. The CLEC orders an inside move on its customer's unbundled analog loop-port combinations from BST.

Scenario Description:

An existing CLEC residential customer moves from the 2nd to the 3rd floor in an apartment building. The CLEC orders an inside move on its customer's unbundled analog loop-port combinations from BST.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	M
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 435: An existing CLEC residential customer moves across town. The CLEC orders an outside move on its customer's unbundled analog loop-port combination from BST.

Scenario Description:

An existing CLEC business customer moves from the 3rd to the 5th floor in an office complex. The CLEC orders an outside move on its customer's unbundled analog loop-port combination from BST.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	T
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 438: A CLEC orders a suspend on 2 business unbundled analog loop-port combinations.

Scenario Description:

A CLEC orders a suspend on 2 business unbundled analog loop-port combinations.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	SS
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	

Scenario # 440: A CLEC orders a suspend on 2 residential unbundled analog loop-port combinations.

Scenario Description:

A CLEC orders a suspend on 2 residential unbundled analog loop-port combinations.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	SS
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 441: A CLEC orders a restore on 2 business unbundled analog loop-port combinations.

Scenario Description:

A CLEC orders a restore on 2 business unbundled analog loop-port combinations.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	RS
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 443: A CLEC orders a restore on 2 residential unbundled analog loop-port combinations.

Scenario Description:

A CLEC orders a restore on 2 residential unbundled analog loop-port combinations.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	RS
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	

Scenario # 444: *An existing CLEC customer is moving to another state. The CLEC orders BST to disconnect both of its unbundled loop-port combinations.*

Scenario Description:

An existing CLEC customer is moving to another state. The CLEC orders BST to disconnect both of its unbundled loop-port combinations.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	D
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	

Scenario # 445: An existing CLEC customer is moving to another state. The CLEC orders BST to disconnect both its unbundled loop]port combinations.

Scenario Description:

An existing CLEC customer is moving to another state. The CLEC orders BST to disconnect both its unbundled loop-port combinations.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	D
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	

Scenario # 602: An existing CLEC customer orders BST to disconnect 2 of 4 CLEC analog loop-port combinations.

Scenario Description:

An existing CLEC customer orders BST to disconnect 2 of 4 CLEC analog loop-port combinations.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	D
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:

Supplement	X
Errors	X
Cancel	X
Directory Listing	

Scenario # 604: CLEC Orders 1 unbundled analog loop/port combination in support of partial migration.

Scenario Description:

CLEC orders 1 unbundled analog loop/port combination in support of partial migration. BST customer currently has 3 lines, 2 of which stay with BST, while 1 migrates "as specified" to CLEC.

Network Configuration:

Scenario Summary:

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:

Supplement	X
Errors	X
Cancel	X
Directory Listing	